

STEEL PRO MAX™





INNOVATIONS, TECHNOLOGIES AND MATERIALS

Bestway

STEEL PRO MAX™

FRAMELINK SYSTEM™

- durable frame connection
- corrosion-resistance and rust prevention



PRISMATIC STONE


Printed wall and bottom inner liner



Puncture resistant liner

DURAPLUS™

This 3-layer, sturdy material blends PVC and mesh to create a durable material which ensures higher resistance and stability



INNOVATIONS, TECHNOLOGIES AND MATERIALS

Bestway

ABOVE GROUND POOLS



FRAMELINK SYSTEM™



NO TOOLS REQUIRED

Aucun outil nécessaire
No necesita herramientas
kein Werkzeug notwendig
geen gereedschap nodig
Attrezzi non necessari
Bez użycia narzędzi



SETUP TIME

Temps de montage
Tiempo de montaje
Montagezeit
Montagetijd
Tempo di montaggio
Czas montażu




ITEM · Article · Artículo · Artikel · Artikel · Prodotto · Artykuł

56418

366 X 100cm
12' X 39.5"

STEEL PRO MAX™

37.89kg
83.52lb



90%



FEATURES · Características · Características · Eigenschaften · Kenmerken · Caratteristiche · Cechy



DURAPLUS™



REALISTIC PRISMATIC STONE PRINT



Ø 32mm
Ø 1.25"

INCLUDES · Inclus · Incluye · Inhalt · Bevat · Include · Zawiera



58383

FILTER PUMP

Pompe de filtration
Bomba de filtrado
Filterpumpe
Filterpomp
Filtro a cartuccia
System filtruj cy



58094

CARTRIDGE

Cartouche
Cartucho
Kartusche
Filter
Cartuccia
Wkład



58330

LADDER

Échelle
Escalera
Sicherheitsleiter
Ladder
Scaletta
Drabinka

FILTRATION SYSTEM · système de filtrage · sistema de filtración · Filtersystem · Filtersysteem · sistema di filtraggio · system filtrujący



58383

FILTER PUMP 2.006 L/h - 530 gal/h

Pompe de filtration 2.006 L/h
Bomba de filtrado 2.006 L/h
Filterpumpe 2.006 L/h
Filterpomp 2.006 L/h
Filtro a cartuccia 2.006 L/h
System filtruj cy 2.006 L/h



220-240V
50HZ

VOLTAGE

Tension
Tensión
Spannung
Voltage
Tensione
Napięcie

Bestway

www.bestwaycorp.com